SAFETY DATA SHEET

Version 3.18 Revision Date 06/23/2014 Print Date 01/14/2015

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Acetaldehyde

Product Number : 00071 Brand : Fluka

Index-No. : 605-003-00-6

CAS-No. : 75-07-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 1), H224 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H224 Extremely flammable liquid and vapour.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H402 Harmful to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated
F303 + F301 + F353	clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position
1 304 + 1 340	comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for
	extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
	, and the second

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator., Photosensitizer. May form explosive peroxides. May form explosive peroxides.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Ethanal

Registration number : 01-2119918285-36-XXXX

Hazardous components

Component	Classification	Concentration				
Acetaldehyde						
	Flam. Liq. 1; Eye Irrit. 2A; Carc. 2; STOT SE 3; Aquatic Acute 3; H224, H319, H335, H351, H402	90 - 100 %				
Frederic Harace College LL Oteste const	a manuficurad in this Continua and Continua 40					

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Fluka - 00071 Page 2 of 9

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

May explode when heated., Closed containers may rupture and explode during runaway polymerization., Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components with				T		
Component	CAS-No.	Value	Control	Basis		
			parameters			
Acetaldehyde	75-07-0	С	25 ppm	USA. ACGIH Threshold Limit Values		
,			''	(TLV)		
	Remarks	Eye & Upper Respiratory Tract irritation				
		Confirmed animal carcinogen with unknown relevance to humans				
		Potential Occupational Carcinogen				
		See Appendix C				
		See Appendix A				
		TWA	200 ppm	USA. Occupational Exposure Limits		
			360 mg/m3	(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
		The value in mg/m3 is approximate.				
		STEL	150 ppm	USA. OSHA - TABLE Z-1 Limits for		
			270 mg/m3	Air Contaminants - 1910.1000		
		TWA	100 ppm	USA. OSHA - TABLE Z-1 Limits for		
			180 mg/m3	Air Contaminants - 1910.1000		

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Fluka - 00071 Page 4 of 9

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Form: liquid, clear

Colour: colourless

Odour no data available Odour Threshold c) no data available 5 at 20 °C (68 °F) d) На

Melting point/freezing

point

Melting point/range: -125 °C (-193 °F)

Initial boiling point and boiling range

21 °C (70 °F)

Flash point -40 °C (-40 °F) - closed cup

Evapouration rate no data available Flammability (solid, gas) no data available

Upper/lower Upper explosion limit: 60 %(V) i) flammability or Lower explosion limit: 4 %(V)

explosive limits

Vapour pressure 1,008.5 hPa (756.4 mmHg) at 20 °C (68 °F)

> 1,451 hPa (1,088 mmHg) at 30 °C (86 °F) 2,660 hPa (1,995 mmHg) at 55 °C (131 °F)

I) Vapour density 1.52 - (Air = 1.0)

0.785 g/mL at 25 °C (77 °F) m) Relative density

Water solubility completely miscible

Partition coefficient: n-

octanol/water

log Pow: 0.5

Auto-ignition

temperature

no data available

Decomposition temperature

no data available

Viscosity no data available r) no data available Explosive properties Oxidizing properties no data available

9.2 Other safety information

> Relative vapour density 1.52 - (Air = 1.0)

10. STABILITY AND REACTIVITY

Reactivity

no data available

Fluka - 00071 Page 5 of 9

10.2 Chemical stability

Avoid exposure to air any longer than necessary so as to prevent peroxide formation.

Stable under recommended storage conditions.

Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Air

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Oxidizing agents, Reducing agents, acids, Nitric acid, Peroxides, Bases, Sodium Hydroxide, Amines, Ammonia, Oxygen, Warning: acetaldehyde is oxidized rapidly and exothermically by air, to acetic acid, Acid anhydrides, Alcohols, Halogens, Ketones, Phenol, Hydrogen sulfide gas, Hydrogen peroxide

10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Lowest observable effect level Oral - rat - 675 mg/kg

LC50 Inhalation - rat - 4 h - 13300 ppm

(OECD Test Guideline 403)

Remarks: Behavioral: Excitement. Lungs, Thorax, or Respiration: Dyspnea.

LD50 Dermal - rabbit - 3,540 mg/kg

no data available

Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

Maximisation Test - guinea pig

Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 406)

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Acetaldehyde)

NTP: Reasonably anticipated to be a human carcinogen (Acetaldehyde)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Fluka - 00071 Page 6 of 9

no data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: AB1925000

Blurred vision, Unconsciousness, Headache, Vomiting, Nausea, Pulmonary edema. Effects may be delayed., Convulsions, sneezing, Cough, Shortness of breath

Liver - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 31 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 57.4 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae Growth inhibition EC50 - Pseudokirchneriella subcapitata (green algae) - > 100

mg/l - 24 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 14 d

Result: 80 % - Readily biodegradable.

(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1089 Class: 3 Packing group: I

Proper shipping name: Acetaldehyde Reportable Quantity (RQ): 1000 lbs

Fluka - 00071 Page 7 of 9

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1089 Class: 3 Packing group: I EMS-No: F-E, S-D

Proper shipping name: ACETALDEHYDE

Marine pollutant: No

IATA

UN number: 1089 Class: 3 Packing group: I

Proper shipping name: Acetaldehyde IATA Passenger: Not permitted for transport

15. REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 75-07-0 2007-07-01

SARA 311/312 Hazards

Acetaldehyde

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Acetaldehyde CAS-No. Revision Date 75-07-0 2007-07-01

Pennsylvania Right To Know Components

Acetaldehyde CAS-No. Revision Date 75-07-0 2007-07-01

New Jersey Right To Know Components

Acetaldehyde CAS-No. Revision Date 75-07-0 2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer. CAS-No. Revision Date 2007-09-28

Acetaldehyde

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
Carc. Carcinogenicity
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids

H224 Extremely flammable liquid and vapour.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H402 Harmful to aquatic life.

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 4

Fluka - 00071 Page 8 of 9

Physical Hazard 2

NFPA Rating

Health hazard: 2
Fire Hazard: 4
Reactivity Hazard: 0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.18 Revision Date: 06/23/2014 Print Date: 01/14/2015

Fluka - 00071 Page 9 of 9