# SAFETY DATA SHEET

Version 5.2 Revision Date 06/24/2014 Print Date 12/17/2014

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : tert-Butanol

Product Number : 360538
Brand : Sigma-Aldrich
Index-No. : 603-005-00-1

CAS-No. : 75-65-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Sigma-Aldrich - 360538 Page 1 of 8

P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position P304 + P340 comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove P305 + P351 + P338 contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor/ physician if you feel unwell. If eye irritation persists: Get medical advice/ attention. P337 + P313 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms : 2-Methyl-2-propanol

Trimethyl carbinol tert-Butyl alcohol

Formula : C<sub>4</sub>H<sub>10</sub>O Molecular Weight : 74.12 g/mol CAS-No. : 75-65-0 EC-No. : 200-889-7 Index-No. : 603-005-00-1

**Hazardous components** 

Component	Classification	Concentration
tert-Butyl alcohol		
	Flam. Liq. 2; Eye Irrit. 2A; STOT SE 3; H225, H319, H335	-

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 360538 Page 2 of 8

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Flash back possible over considerable distance.

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

### 5.4 Further information

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
tert-Butyl alcohol	75-65-0	TWA	100 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nervous System impairment Not classifiable as a human carcinogen		

Sigma-Aldrich - 360538 Page 3 of 8

1	TWA	100 ppm	USA. NIOSH Recommended
	IVVA	300 mg/m3	Exposure Limits
			'
	ST	150 ppm	USA. NIOSH Recommended
		450 mg/m3	Exposure Limits
	TWA	100 ppm	USA. Occupational Exposure Limits
		300 mg/m3	(OSHA) - Table Z-1 Limits for Air
			Contaminants
	The value	in mg/m3 is appro	ximate.
	TWA	100 ppm	USA. OSHA - TABLE Z-1 Limits for
		300 mg/m3	Air Contaminants - 1910.1000
	STEL	150 ppm	USA. OSHA - TABLE Z-1 Limits for
		450 mg/m3	Air Contaminants - 1910.1000

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 30 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Sigma-Aldrich - 360538 Page 4 of 8

Colour: colourless

b) Odour no data available Odour Threshold no data available d) рН no data available

Melting point/freezing e)

point

Melting point/range: 23 - 26 °C (73 - 79 °F)

Initial boiling point and f)

boiling range

83 °C (181 °F)

Flash point 11 °C (52 °F) - closed cup g)

h) Evapouration rate no data available i) Flammability (solid, gas) no data available

Upper/lower flammability or explosive limits Upper explosion limit: 8 %(V) Lower explosion limit: 2.4 %(V)

41 hPa (31 mmHg) at 20 °C (68 °F) k) Vapour pressure

59 hPa (44 mmHg) at 26 °C (79 °F)

2.56 - (Air = 1.0)I) Vapour density

0.775 g/mL at 25 °C (77 °F) m) Relative density

Water solubility completely miscible no data available

Partition coefficient: n-

octanol/water

Auto-ignition no data available temperature

Decomposition

no data available

temperature

r) Viscosity no data available Explosive properties no data available no data available

Oxidizing properties

### 9.2 Other safety information

Relative vapour density 2.56 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

Strong oxidizing agents, Copper, Alkali metals, Aluminum

#### 10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

Sigma-Aldrich - 360538 Page 5 of 8

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - rat - 2,743 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation. Respiratory disorder Gastrointestinal:Other changes.

Inhalation: no data available

LD50 Dermal - rabbit - > 2,000 mg/kg

Remarks: Prolonged skin contact may cause skin irritation and/or dermatitis.

no data available

### Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation - 24 h

# Serious eye damage/eye irritation

Eyes - rabbit

Result: Irritating to eyes. - 24 h

## Respiratory or skin sensitisation

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

no data available

no data available

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

no data available

### **Aspiration hazard**

no data available

### **Additional Information**

RTECS: EO1925000

drying, cracking of the skin, Skin irritation

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

Sigma-Aldrich - 360538 Page 6 of 8

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 6.140 mg/l - 96 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 933 mg/l - 48 h

other aquatic invertebrates

# 12.2 Persistence and degradability

Biodegradability Zahn-Wellens Test - Exposure time 19 d

Result: > 99.9 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

Does not bioaccumulate.

# 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

no data available

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1120 Class: 3 Packing group: II

Proper shipping name: Butanols

Reportable Quantity (RQ): Marine pollutant: No

Poison Inhalation Hazard: No.

**IMDG** 

UN number: 1120 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: BUTANOLS

Marine pollutant: No

**IATA** 

UN number: 1120 Class: 3 Packing group: II

Proper shipping name: Butanols

### 15. REGULATORY INFORMATION

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

tert-Butyl alcohol CAS-No. Revision Date 2007-07-01

Sigma-Aldrich - 360538 Page 7 of 8

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
tert-Butyl alcohol	75-65-0	2007-07-01

### **Pennsylvania Right To Know Components**

tert-Butyl alcohol CAS-No. Revision Date 75-65-0 2007-07-01

**New Jersey Right To Know Components** 

tert-Butyl alcohol CAS-No. Revision Date 2007-07-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### 16. OTHER INFORMATION

## Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

STOT SE Specific target organ toxicity - single exposure

### **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.2 Revision Date: 06/24/2014 Print Date: 12/17/2014

Sigma-Aldrich - 360538 Page 8 of 8