



MATERIAL SAFETY DATA SHEET

Product Name: ODORLESS TURPENOID
Product Code No's: 1681, 1682, 1683, 1684, 1685

Page: 1 of 6
Issue Date: 12/2/88

MANUFACTURER:

Martin/F. Weber Company
2727 Southampton Road
Philadelphia, Pa. 19154-1293

EMERGENCY TELEPHONE NUMBER

215/677-5600 Martin/F. Weber or
Your Local Poison Control Center

Contact for further information:
215/677-5600 FAX: 215/677-3336

PRODUCT IDENTIFICATION:

Product Name: Odorless Turpenoid - Turpentine Substitute

Synonyms: N/A

Generic Name: Volatile Solvent

Chemical Family: Hydrocarbon Mixture

DOT Proper
Shipping Name: Petroleum Naphtha

I.D. Number: UN1255

DOT Hazard
Classification: Combustible Liquid

CAS Number: 64741-65-7

| SECTION I - HAZARDOUS INGREDIENTS/EXPOSURE LIMITS | LIMITS | UNITS | AGENCY | TYPE |
|---|--------|-------|--------|------|
| Odorless Mineral Spirits (Compare to Stoddard | 100 | PPM | ACGIH | TWA |
| Solvent 8052-041-3) | 200 | PPM | ACGIH | STEI |
| | 500 | PPM | OSHA | TWA |

SECTION II - EMERGENCY AND FIRST AID PROCEDURES

Have physician call Local Poison Control Center

EYE CONTACT:

If irritation or redness from exposure to vapors develops, move victim away from exposure and into fresh air. If irritation or redness persists, seek medical attention. For direct contact, hold eyelids apart and flush the affected eye(s) with clean water. Seek medical attention.



Product Name: Odorless Turpenoid
Product Code No's: 1681, 1682, 1683, 1684, 1685

Page 2 of 6
Issue Date 12/2/88

SECTION II - EMERGENCY AND FIRST AID PROCEDURES

SKIN CONTACT:

Remove contaminated clothing, cleanse affected area(s) thoroughly by washing with mild soap and water. If irritation or redness develops and persists, seek medical attention.

INHALATION (BREATHING):

If irritation of nose or throat develops, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, artificial respiration should be administered. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.

INGESTION (SWALLOWING):

Aspiration Hazard: Do not induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. If victim is drowsy or unconscious, place on the left side with the head down. If possible, do not leave victim unattended. Seek medical attention.

SECTION III - HEALTH HAZARDS/ROUTES OF ENTRY

EYE CONTACT:

This material may cause eye irritation. Direct contact with the liquid or exposure to vapors or mists may cause stinging, tearing and redness.

SKIN CONTACT:

This material is not known to be a skin irritant. Prolonged or repeated contact may cause redness, burning, and drying and cracking of the skin. No harmful effects have been demonstrated in skin absorption studies. Persons with pre-existing skin disorders may be more susceptible to the effects of this material.

INHALATION (BREATHING):

While this material has a low degree of toxicity, breathing high concentrations of vapors or mists may cause irritation of the nose, throat and signs of nervous system depression (E.G., drowsiness, dizziness, loss of coordination, and fatigue). Respiratory symptoms associated with pre-existing lung disorders (E.G., asthma-like conditions) may be aggravated by exposure to this material.



Product Name: ODORLESS TURPENOID
Product Codes No's: 1681, 1682, 1683, 1684, 1685

Page 3 of 6
Issue Date: 12/2/88

SECTION III - HEALTH HAZARDS/ROUTES OF ENTRY

INGESTION (SWALLOWING):

While this material has a low degree of toxicity, ingestion of excessive quantities may cause irritation of the digestive tract and signs of nervous system depression (E.G., drowsiness, dizziness, loss of coordination, and fatigue). Aspiration Hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

COMMENTS:

This substance has not been identified as a carcinogen or probable carcinogen by NTP, IARC or OSHA. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage (sometimes referred to as solvent or painter's syndrome). Intentional misuse by deliberately concentrating and inhaling this product may be harmful or fatal.

SECTION IV - SPECIAL PROTECTION INFORMATION

VENTILATION:

If current ventilation practices are not adequate for minimizing exposures, additional ventilation or exhaust systems may be required. Where explosive mixtures may be present, systems safe for such locations should be used.

RESPIRATORY PROTECTION:

The use of respiratory protection is advised when concentrations exceed the established exposure limits (see Section I). Depending on the airborne concentration, use a respirator or gas mask with appropriate cartridges and cannisters (NIOSH approved, if available) or supplied air equipment.

PROTECTIVE GLOVES:

The use of gloves impermeable to the specific material handled is advised to prevent skin contact and possible irritation.

EYE PROTECTION:

Approved eye protection to safeguard against potential eye contact, irritation or injury is recommended.

OTHER PROTECTIVE EQUIPMENT:

It is suggested that a source of clean water be available in work area for flushing eyes and skin. Impervious clothing should be worn as needed.



Product Name: ODORLESS TURPENOID
Product Code No's: 1681, 1682, 1683, 1684, 1685

Page 4 of 6
Issue Date: 12/2/88

SECTION V - REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY (MATERIALS TO AVOID): This product is incompatible with strong acids or bases, oxidizing agents and selected amines.

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may yield carbon monoxide and/or carbon dioxide.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION VI - SPILL OR LEAK PROCEDURES

PRECAUTIONS IN CASE OF RELEASE OR SPILL:

Stay upwind and away from spill. Keep all sources of ignition away from spill. If spill is indoors, ventilate area of spill. Keep out of drains, sewers or waterways. Use sand or other inert material to dam and contain spill. Do not flush area with water. For small spills, do not flush with water; use absorbant pads.

WASTE DISPOSAL METHOD:

Dispose of product in accordance with local, county, state and federal regulations.

SECTION VII - STORAGE AND SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS:

Keep containers tightly closed. Keep containers cool, dry, and away from sources of ignition. Use and store this product with adequate ventilation. Avoid inhalation of vapors and personal contact with the product. Use good personal hygiene practice. "Empty" containers retain residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks or other sources of ignition; they may explode and cause injury or death. Containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.



Product Name: ODORLESS TURPENOID
Product Code No's: 1681, 1682, 1683, 1684, 1685

Page 5 of 6
Date of Issue: 12/2/88

SECTION VIII - FIRE AND EXPLOSION HAZARD DATA

| | | <u>HAZARD RANKING</u> | | | | |
|-------------------------|----------------|-----------------------|--------------|-------------------------|----------|---|
| NFPA HAZARD CLASS | Health Hazard: | 1 | 0 = Least | HMIS HAZARD CLASS | Health: | 1 |
| | Flammability: | 2 | 1 = Slight | | Flam: | 2 |
| | Reactivity: | 0 | 2 = Moderate | | React: | 0 |
| | Other: | - | 3 = High | | P.P.E. : | - |
| | | | 4 = Extreme | | | |

LOWER EXPLOSIVE LIMIT (% VOL.)

1.0

UPPER EXPLOSIVE LIMIT (% VOL.)

6.0

FLASH POINT

125, TCC F

EXTINGUISHING MEDIA: Extinguish with dry chemical, CO2 or Foam.

FIRE & EXPLOSION HAZARDS: This material is combustible and may be ignited by heat or flame. This material will burn, but will not ignite readily.

FIRE FIGHTING PROCEDURES: The use of SCBA is recommended for fire fighters. Water spray may be useful in minimizing vapors and cooling containers exposed to heat and flame. Avoid spreading burning liquid with water used for cooling purposes.

SECTION IX - PHYSICAL DATA

| | | |
|---|--------------------------------|------------------------------|
| <u>APPROX. BOILING POINT</u> | <u>VAPOR DENSITY (AIR = 1)</u> | <u>VAPOR PRESSURE</u> |
| 346 to 406 F | 5.2 | 1.2 MM HG @ 20C |
| <u>EVAPORATION RATE (N-BUTYL ACETATE = 1)</u> | <u>% VOLATILE</u> | <u>% SOLUBILITY IN WATER</u> |
| .17 | 100% | Negligible (< 5%) |
| <u>SPECIFIC GRAVITY (TEMP/TEMP)</u> | <u>APPEARANCE</u> | <u>ODOR</u> |
| 0.759 (60F/60F) | Clear, little if any color | Characteristic |



Product Name: ODORLESS TURPENOID
Product Code No's: 1681, 1682, 1683, 1684, 1685

Page 6 of 6
Issue Date: 12/2/88

SECTION XI - DOCUMENTARY INFORMATION

Issue Date: 12/2/88 Product Code No's: 1681, 1682, 1683, 1684, 1685
Prev. Date: 8/23/88

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCTS, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.