

FLINN SCIENTIFIC, INC.

Safety Data Sheet (SDS)

SDS #: 522.00

Revision Date: March 21, 2014

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Methyl Violet 2B Alcoholic Solution

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

Signal Word **DANGER**

Pictograms



SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Hazard class: Acute toxicity, oral (Category 4). Harmful if swallowed (H302). Do not eat, drink or smoke when using this product (P270).

Hazard class: Skin and serious eye damage, corrosion or irritation (Category 2, 2A). Causes skin and serious eye irritation (H315+H319).

Hazard class: Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3). May cause respiratory irritation (H335). Avoid breathing mist, vapors or spray (P261).

Hazard class: Specific target organ toxicity, single exposure (Category 1). Causes damage to organs (H370).

SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
Methyl violet 2B	8004-87-3	C ₂₄ H ₂₈ N ₃ Cl	393.94	7%
Ethyl alcohol, denatured	64-17-5	C ₂ H ₅ OH	46.07	93%

SECTION 4 — FIRST AID MEASURES

If exposed or concerned: Call a POISON CENTER or physician (P307+P311).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If eye irritation persists:** Get medical advice or attention (P337+P313). **If on skin (or hair):** Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353).

If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell (P302+P301+P312).

SECTION 5 — FIRE FIGHTING MEASURES

Class IB flammable liquid due to ethyl alcohol content.

Flash point: 21 °C

When heated, releases flammable fumes.

In case of fire: Use tri-class dry chemical fire extinguisher (P370+P378).

NFPA CODE

H-2

F-3

R-0

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #9. Store with dyes, indicators and stains.

Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in a Flinn Saf-Stor™ can. Keep container tightly closed (P233). Keep cool (P235). Use explosion-proof electrical and ventilating equipment (P241). Take precautionary measures against static discharge (P243). Use only in a hood or well-ventilated area (P271).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271). Will stain skin, clothing, and surfaces.

Exposure guidelines: (as ethyl alcohol) PEL 1000 ppm (OSHA), Ceiling 1000 ppm (ACGIH)

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Violet liquid. Alcohol odor.

Absorbance maximum: 585nm

Boiling point: 78 °C (ethyl alcohol)

Biological stain.

pH indicator: 0 yellow to 1.6 pink.

SECTION 10 — STABILITY AND REACTIVITY

Keep away from open flame, sparks or other sources of ignition. Avoid contact with strong oxidizers.

Shelf life: Indefinite, if stored properly.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Eye irritation, nausea, dizziness, headache.

ORL-RAT LD₅₀: 413 mg/kg (as methyl violet 2B)

Chronic effects: Liver damage, reproductive, teratogenic effects, carcinogen.

IHL-RAT LC₅₀: 20,000 ppm/10 hour (as ethyl alcohol)

SKN-RBT LD₅₀: N.A.

Target organs: Eyes, skin, central nervous system, liver, reproductive system.

N.A. = Not available, not all health aspects of this substance have been fully investigated.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #18a is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Ethyl alcohol solution. Hazard class: 3, Flammable liquid. UN number: UN1170.

N/A = Not applicable

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (200-578-6), RCRA code D001.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

Consult your copy of the *Flinn Science Catalog/Reference Manual* for additional information about laboratory chemicals.

Revision Date: March 21, 2014