# SAFETY DATA SHEET

Version 4.9 Revision Date 11/07/2014 Print Date 12/17/2014

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : 3-Pentanone

Product Number : 127604
Brand : Sigma-Aldrich
Index-No. : 606-006-00-5

CAS-No. : 96-22-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, Central nervous system, H335, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225
 H319
 H335
 H336
 Highly flammable liquid and vapour.
 Causes serious eye irritation.
 May cause respiratory irritation.
 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

Sigma-Aldrich - 127604 Page 1 of 8

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. Wear protective gloves/ eve protection/ face protection. P280 P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position P304 + P340 + P312 comfortable for breathing. Call a POISON CENTER or doctor/ physician if vou feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. P337 + P313 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Repeated exposure may cause skin dryness or cracking.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : Diethyl ketone

**Hazardous components** 

Component	Classification	Concentration				
Diethyl ketone						
	Flam. Liq. 2; Eye Irrit. 2A; STOT SE 3; H225, H319,	<= 100 %				
	H335, H336					

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

# **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 127604 Page 2 of 8

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

#### Components with workplace control parameters

our pour and a complete or our and parameters							
Component	CAS-No.	Value	Control	Basis			
			parameters				
Diethyl ketone	96-22-0	TWA	200 ppm	USA. ACGIH Threshold Limit Values			
,				(TLV)			
	Remarks	Central Nervous System impairment					
		Upper Respiratory Tract irritation					
		STEL	300 ppm	USA. ACGIH Threshold Limit Values			
				(TLV)			
		Central Nervous System impairment					

Sigma-Aldrich - 127604 Page 3 of 8

Upper Re	Upper Respiratory Tract irritation		
TWA	200 ppm	USA. OSHA - TABLE Z-1 Limits for	
	705 mg/m3	Air Contaminants - 1910.1000	
TWA	200 ppm	USA. NIOSH Recommended	
	705 mg/m3	Exposure Limits	

#### 8.2 **Exposure controls**

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: butyl-rubber

Minimum laver thickness: 0.3 mm Break through time: 30 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

> Colour: colourless No data available

Odour Threshold No data available

рΗ 6.2 at 50 g/l at 20 °C (68 °F) d)

Melting point/freezing

point

b) Odour

Melting point/range: -42 °C (-44 °F) - lit.

Initial boiling point and f) boiling range

101.5 °C (214.7 °F) - lit.

Flash point

7 °C (45 °F) - closed cup

Sigma-Aldrich - 127604 Page 4 of 8 h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 7.7 %(V) flammability or Lower explosion limit: 1.6 %(V)

explosive limits

k) Vapour pressure 37.5 hPa (28.1 mmHg) at 20 °C (68 °F)

I) Vapour density 2.97 - (Air = 1.0)

m) Relative density 0.813 g/cm3 at 25 °C (77 °F)

n) Water solubility slightly solubleo) Partition coefficient: n- log Pow: 0.85

octanol/water

p) Auto-ignition temperature

No data available

q) Decomposition No data available temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Surface tension 25.33 mN/m at 15 °C (59 °F)

Relative vapour density 2.97 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Oxidizing agents, Strong bases

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 2,140 mg/kg

LD50 Dermal - Rabbit - 16,260 mg/kg

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 24 h

Sigma-Aldrich - 127604 Page 5 of 8

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation

#### Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

May cause drowsiness or dizziness.

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: SA8050000

#### 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1,470 - 1,600 mg/l - 96 h

#### 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

Sigma-Aldrich - 127604 Page 6 of 8

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1156 Class: 3 Packing group: II

Proper shipping name: Diethyl ketone

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1156 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: DIETHYL KETONE

**IATA** 

UN number: 1156 Class: 3 Packing group: II

Proper shipping name: Diethyl ketone

#### 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard. Acute Health Hazard

Massachusetts Right To Know Components

Diethyl ketone CAS-No. Revision Date 96-22-0 1994-04-01

**Pennsylvania Right To Know Components** 

CAS-No. Revision Date
Diethyl ketone 96-22-0 1994-04-01

**New Jersey Right To Know Components** 

CAS-No. Revision Date
Diethyl ketone 96-22-0 1994-04-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

# Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation Flam. Lig. Flammable liquids

Sigma-Aldrich - 127604 Page 7 of 8

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.

STOT SE Specific target organ toxicity - single exposure

**HMIS Rating** 

Health hazard: 2
Chronic Health Hazard:
Flammability: 3
Physical Hazard 0

**NFPA** Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.9 Revision Date: 11/07/2014 Print Date: 12/17/2014

Sigma-Aldrich - 127604 Page 8 of 8