

Date: Jan 9, 2008

Previous date: Oct 9, 2007

Version: 2

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Commercial Product Name

NICKEL HYDROXYCARBONATE POWDER

Product code

N50, N5001, N5011, N5101, N52, N53, N5401

Distributor:

Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

2. COMPOSITION, INFORMATION ON INGREDIENTS

Component	CAS-number	Percent	OSHA PEL	ACGIH TLV
Nickel carbonate	12607-70-4	100	1 mg/m3	0.1 mg/m3
hydroxide				

3. HAZARDS IDENTIFICATION

Routes of exposure

The substance can be absorbed into the body by inhalation, through the skin and by ingestion.

Inhalation risk

Evaporation at 68 °F is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed.

Effects of short-term exposure

The substance is irritating to the eyes the skin and the respiratory tract.

Inhalation

Cough, sore throat

Skin

Redness

Eyes

Redness

Ingestion

Abdominal pain, dizziness, headache, nausea, vomiting

Effects of long-term or repeated exposure

Repeated or prolonged contact may cause skin sensitization. May cause an allergic contact dermatitis. Once established, skin sensitization to nickel is permanent. Repeated or prolonged inhalation exposure may cause asthma. Lungs may be affected by repeated or prolonded exposure to the aerosol. The substance may have effects on the nasal sinuses, resulting in inflammation and ulceration. This substance is carcinogenic to humans.



Date: Jan 9, 2008

Previous date: Oct 9, 2007

Version: 2

4. FIRST AID MEASURES

Inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. If breathing is irregular or stopped, administer artificial respiration. Consult a physician.

Skin contact

Wash off with soap or mild detergent and plenty of water. Remove soiled or soaked clothing, shoes and jewellery immediately. Clean up contaminated clothind, shoes before re-use. If irritation persists, consult a specialist.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes or until irritation subsides, whichever is longer. If eye irritation persists, consult a specialist.

Rinse mouth, if person is completely conscious. Consult a physician.

Notes to physicians

Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Flash point

Not applicable.

Flammability (solid, gas)

Not applicable.

Explosive properties

High concentrations of dust may present a dust explosion

hazard.

Lower explosion limit

Unknown

Upper explosion limit

Unknown

Suitable extinguishing media

The product itself does not burn. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment e.g.: Dry powder; Carbon dioxide (CO2); Water spray jet;

Extinguishing media which must not be used for safety reasons

Strong water jet;

Specific hazards

In the event of fire the following can be released: Metal dust; Metallic oxides;

Special protective equipment for firefighters

Wear self-contained breathing apparatus and protective suit.

Specific methods

Collect contaminated fire extinguishing water separately. Do not discharge into the drains/surface waters/groundwater.

6. ACCIDENTAL RÉLEASE MEASURES



Date: Jan 9, 2008

Previous date: Oct 9, 2007

Version: 2

Personal precautions

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Avoid dust formation. Ensure adequate ventilation.

Environmental precautions and methods for cleaning up

The spill should be contained and the area should be cleaned by wet-sweeping or vacuum cleaning (HEPAfilter). Avoid dust formation. Send in suitable containers for recovery or disposal (See section 13). Do not discharge into the drains/surface waters/groundwater. The California Safe Drinking Water and Toxic Enforcement Act of 1986 (Prop 65) prohibits contaminating any known source of drinking water with substances known to cause cancer and/or reproductive toxicity.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin and eyes. Do not breathe dust. Avoid repeated exposure. Wear suitable protective equipment (See section 8). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Provide good ventilation of working area (local exhaust ventilation if necessary). Ensure that eyewash stations and safety showers are close to the workstation location. Remove soiled or soaked clothing immediately. Clean skin thoroughly after work. At work do not eat, drink, smoke or take drugs. Keep away from food, drink and animal feeding stuffs. Keep working clothes separately.

Always keep in containers of same material as the original one. Keep containers tightly closed in a dry, cool and well-ventilated place to avoid dampness and away from incompatible products. Avoid formation and deposition of dust.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering control

Provide good ventilation of working area in order to maintain nickel concentration in the air below the occupational exposure limits (PEL, TLV). Use local exhaust ventilation if necessary. If workplace exposure limits are exceeded, use respiratory protection as spedified below.

Respiratory protection

If workplace exposure limits are exceeded, use NIOSH approved respiratory protection.

Hand protection

Protective gloves: Rubber or other impervious coating.

Eye and face protection

Wear safety glasses or face shield in operations that do scatter fine particles in the air.

Skin and body protection

To prevent repeated or prolonged skin contact, wear impervious clothing and shoes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour **Odour** Boiling point/range Oxidising properties Vapour pressure

Powder Green Odourless No data available. No data available. No data available.



Date: Jan 9, 2008

Previous date: Oct 9, 2007

Version: 2

Specific gravity

Water solubility

Partition coefficient (n-octanol/water)

Viscosity
Vapour density
Evaporation rate
Melting point

0.75-0.80 g/cm3

34.5 mg/l (pH 6); 7.1 mg/l (pH 8)

No data available. No data available. No data available. No data available.

No data available.

10. STABILITY AND REACTIVITY

Stability

Stable.

Hazardous polymerization

Will not occur.

Conditions to avoid

Avoid dust formation.

Materials to avoid

Acids;

Hazardous decomposition products

Metallic oxides;

11. TOXICOLOGICAL INFORMATION

Toxicity

The International Agency for Research on Cancer (IARC) has classified nickel compounds to "Group 1 - Carcinogenic to humans". Nickel compounds are found in Volume 49 of monographs at http://www.iarc.fr/

The National Toxicology Program (NTP) has classified nickel compounds as "Known to Human Carcinogens". Report on Carcinogens (RoC) concerning nickel compounds is found at http://ntp.niehs.nih.gov/.

Acute toxicity

LD50/oral/rat = 1500 mg/kg

Routes of exposure

The substance can be absorbed into the body by inhalation, through the skin and by ingestion.

Effects of short-term exposure

The substance is irritating to the eyes the skin and the respiratory tract.

Effects of long-term or repeated exposure

Repeated or prolonged contact may cause skin sensitization. May cause an allergic contact dermatitis. Once established, skin sensitization to nickel is permanent. Repeated or prolonged inhalation exposure may cause asthma. Lungs may be affected by repeated or prolonged exposure to the aerosol. The substance may have effects on the nasal sinuses, resulting in inflammation and ulceration. This substance is carcinogenic to humans.

12. ECOLOGICAL INFORMATION

Ecotoxicity



Date: Jan 9, 2008

Previous date: Oct 9, 2007

Version: 2

Aquatic toxicity

No data available.

Persistency and degradability

Biodegradation

No data available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products

Dispose of as special waste in compliance with federal, state and local regulations.

Contaminated packaging

Contaminated packaging should be emptied as far as possible. Packaging that cannot be cleaned should be disposed in compliance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT shipping name

RQ, Environmentally Hazardous Substance, Solid, NOS (contains

Nickel carbonate hydroxide)

DOT hazard class

UN-number

UN3077 III

DOT packing group Air freight transportation

RQ, Environmentally Hazardous Substance, Solid, NOS (contains

Nickel carbonate hydroxide), 9, UN3077, III

Ocean transportation

RQ, Environmentally Hazardous Substance, Solid, NOS (contains

Nickel carbonate hydroxide), 9, UN3077, III

Reportable quantity

None

15. REGULATORY INFORMATION

TSCA Status

This product is listed on the US TSCA Inventory.

TSCA 12(b) Export notification

No components of this product are subject to TSCA 12(b) export notification requirements.

California Proposition 65, Chemicals Known to the State to Cause Cancer or Reproductive **Toxicity**

Nickel compounds are listed.

SARA 302 extremely hazardous substance list

This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substance List.

Clean Air Act Section 112, Hazardous Air Pollutants

Nickel compounds are listed.

SARA (311, 312) hazard class

Chronic health hazard.

EPCRA (SARA Title III) Section 313 toxic chemical

Nickel compounds are listed.

16. OTHER INFORMATION

Page 5/6

Date: Jan 9, 2008

Previous date: Oct 9, 2007

Version: 2

Disclaimer

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this information or the product, the safety of this product, or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.



The information contained herein is furnished without warranty of any kind. Users should consider these data only as a suppliment to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. Any information relating to usage is for guidance purposes only.