

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2014

Reviewed on 02/27/2014

1 Identification**Product identifier****Product name:** Oxalic acid, 10% w/v aqueous solution**Stock number:** 35617**Relevant identified uses of the substance or mixture and uses advised against.****Identified use:** SU24 Scientific research and development**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency telephone number:**

During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification**Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.



Xn; Harmful

R21/22: Harmful in contact with skin and if swallowed.

Information concerning particular hazards for human and environment: Not applicable**Hazards not otherwise classified** No information known.**Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labeled according to the CLP regulation.

Hazard pictograms

GHS05



GHS07

Signal word Danger**Hazard-determining components of labeling:**

Oxalic acid dihydrate

Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2014

Reviewed on 02/27/2014

Product name: Oxalic acid, 10% w/v aqueous solution

(Contd. of page 1)

P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects
 E - Corrosive material

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	3
FIRE	0
REACTIVITY	1

Health (acute effects) = 3
 Flammability = 0
 Physical Hazard = 1

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixtures****Dangerous components:**

6153-56-6	Oxalic acid dihydrate	14.0%
-----------	-----------------------	-------

Additional information None known.

Non-Hazardous Ingredients

7732-18-5	Water	86.0%
-----------	-------	-------

4 First-aid measures**Description of first aid measures****General information** Immediately remove any clothing soiled by the product.**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
 Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
 Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.**Information for doctor****Most important symptoms and effects, both acute and delayed**

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures**Extinguishing media****Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Advice for firefighters**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

USA

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2014

Reviewed on 02/27/2014

Product name: Oxalic acid, 10% w/v aqueous solution

(Contd. of page 2)

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Precautions for safe handling**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable**Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:**

Store away from strong bases.

Store away from oxidizing agents.

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters**Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional Occupational Exposure Limit Values for related materials or possible hazards during processing:**144-62-7 Oxalic acid, anhydrous**

PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
TLV (USA)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
EL (Canada)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
EV (Canada)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³

Additional information: No data**Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2014

Reviewed on 02/27/2014

Product name: Oxalic acid, 10% w/v aqueous solution

(Contd. of page 3)

Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
 Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
 Impervious gloves
 Check protective gloves prior to each use for their proper condition.
 The selection of suitable gloves not only depends on the material, but also on quality.
 Quality will vary from manufacturer to manufacturer.
Eye protection:
 Tightly sealed goggles
 Full face protection
Body protection: Protective work clothing.

9 Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.

pH-value:	Not determined.
------------------	-----------------

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Product is not selfigniting.

Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
Density:	Not determined
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.

Solvent content:	
Organic solvents:	0.0 %

Solids content:	14.0 %
Other information	No further relevant information available.

10 Stability and reactivity**Reactivity** No information known.**Chemical stability** Stable under recommended storage conditions.**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents
 Water reacts violently with alkali metals.

Incompatible materials:

Bases

Oxidizing agents

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

(Contd. on page 5)

-USA-

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2014

Reviewed on 02/27/2014

Product name: Oxalic acid, 10% w/v aqueous solution

(Contd. of page 4)

Hazardous decomposition products: Carbon monoxide and carbon dioxide**11 Toxicological information****Information on toxicological effects****Acute toxicity:**

Harmful in contact with skin.

Harmful if swallowed.

Danger through skin absorption.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification: No data**Skin irritation or corrosion:** Causes severe skin burns.**Eye irritation or corrosion:** Causes serious eye damage.**Sensitization:** No sensitizing effects known.**Germ cell mutagenicity:** No effects known.**Carcinogenicity:**

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

Specific target organ system toxicity - repeated exposure: No effects known.**Specific target organ system toxicity - single exposure:** No effects known.**Aspiration hazard:** No effects known.**Subacute to chronic toxicity:**

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

12 Ecological information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information****UN-Number**

DOT, ADR, IMDG, IATA

UN3265

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2014

Reviewed on 02/27/2014

Product name: Oxalic acid, 10% w/v aqueous solution

(Contd. of page 5)

UN proper shipping name	
DOT	Corrosive liquid, acidic, organic, n.o.s. (Oxalic acid dihydrate)
ADR	3265 Corrosive liquid, acidic, organic, n.o.s. (Oxalic acid dihydrate)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Oxalic acid dihydrate)

Transport hazard class(es)

DOT



Class	8 Corrosive substances.
Label	8
ADR	



Class	8 (C3) Corrosive substances
Label	8
IMDG, IATA	



Class	8 Corrosive substances.
Label	8

Packing group

DOT, ADR, IMDG, IATA	III
-----------------------------	-----

Environmental hazards:

Marine pollutant (IMDG):	No
---------------------------------	----

Special precautions for user

Warning: Corrosive substances

Danger code (Kemler):	80
------------------------------	----

EMS Number:	F-A,S-B
--------------------	---------

Segregation groups	Acids
---------------------------	-------

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
--	-----------------

Transport/Additional information:

DOT

Marine Pollutant (DOT):	No
--------------------------------	----

UN "Model Regulation":	UN3265, Corrosive liquid, acidic, organic, n.o.s. (Oxalic acid dihydrate), 8, III
-------------------------------	---

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

None of the ingredients are listed.

California Proposition 65**Prop 65 - Chemicals known to cause cancer**

None of the ingredients are listed.

(Contd. on page 7)

- USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/05/2014

Reviewed on 02/27/2014

Product name: Oxalic acid, 10% w/v aqueous solution

(Contd. of page 6)

Prop 65 - Developmental toxicity

None of the ingredients are listed.

Prop 65 - Developmental toxicity, female

None of the ingredients are listed.

Prop 65 - Developmental toxicity, male

None of the ingredients are listed.

Information about limitation of use: For use only by technically qualified individuals.**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

REACH - Pre-registered substances

All ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**16 Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Health, Safety and Environmental Department.**Date of preparation / last revision** 03/05/2014 / -**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C

USA