### SAFETY DATA SHEET FOR THORN SMITH LABORATORIES

## **SECTION 1 - IDENTIFICATION**

Trade Name:	Sodium Chloride
Catalog Number:	81-1085 (100g) / 81-1086 (500g)
Product Description:	Student Reference Standards and Reagent Chemicals
Manufacturer:	Auric Enterprises, Inc.
	d/b/a Thorn Smith Laboratories
Address:	7755 Narrow Gauge Road
	Beulah, MI 49617
Phone Number:	231-882-4672
SDS Number:	TSL-103

## SECTION 2 – HAZARDS IDENTIFICATION

**Classification of Substance or Mixture:** Not a hazardous substance or mixture as packaged in 100g or 500g containers.

**GHS Label Elements, including precautionary statements:** Not a hazardous substance or mixture as packaged in 100g or 500g containers.

#### Hazards not otherwise classified (HNOC) or not covered by GHS: None

#### **Potential Acute Health Effects:**

Slightly hazardous in case of skin and eye contact (irritant), of ingestion, of inhalation.

## **Potential Chronic Health Effects:**

This product has no known chronic effects. Repeated or prolonged exposure is not known to aggravate medical conditions.

## SECTION 3 - COMPOSITION AND INFORMATION ON INGREDIENTS

Sodium Chloride

Formula: CAS No.: Purity: NaCl 7647-14-5 99% or higher

#### **SECTION 4 – FIRST AID MEASURES**

**Eye Contact:** Do not rub eye(s); check for and remove contact lenses. Flush with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. If irritation persists, seek medical attention.

Skin Contact: Irritant. Remove any contaminated clothing. Wipe off excess from skin. Immediately wash skin with soap and water for at least 15 minutes. Get medical attention if irritation develops or persists.

**Inhalation:** If a person breathes in large amounts, move the exposed person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical advice.

**Ingestion:** If swallowed, and if person is conscious, immediately give large amounts of water. Get medical attention.

## **SECTION 5 – FIRE FIGHTING MEASURES**

Flammability:Non-FlammableFlash Points:Not ApplicableAuto-Iginition:Not ApplicableFlammable Limits:N/AExtinguishing Media:Use extinguishing media appropriate to the surrounding fire.Fire Fighting Procedure:Firefighters should wear self-contained breathing apparatus and protective clothing to preventinhalation or contact with skin and eyes.Fire/Explosion Hazards:Fire/Explosion Hazards:Electrolysis of sodium chloride in the presence of nitrogenous compounds to produce chlorineMay lead to formation of explosive nitrogen trichloride.Potentially explosive reaction with dichloromaleic anhydride + urea.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Spill or Leak Procedures:** Utilize recommended protective clothing and equipment. Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of in accordance to all Federal, State and Local environmental regulations.

## SECTION 7 – HANDLING AND STORAGE

Storage Temperatures: Store at ambient temperatures.

**Storage:** Suitable for any general chemical storage area.

Shelf Life: Unlimited in tightly closed container.

Special Sensitivity: Isolate from incompatibles such as oxidizing agents, acids.

**Precautions to be taken in handling and storage:** Store in accordance with all local, state, and federal environmental regulations.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

**Respiratory Protection (Specify Type):** None where adequate ventilation conditions exist. If airborne concentration is high, use an appropriate respirator or dust mask.

Protective Gloves: Wear protective gloves.

Eye Protection: Wear chemical safety glasses.

Ventilation To Be Used: Use adequate general or local exhaust ventilation to keep fume or dust levels as low as possible.

\_\_X\_ Local Exhaust \_\_X\_ Mechanical (General) \_\_\_\_ Special

\_\_\_\_ Other (Specify)

**Other Protective Clothing and Equipment:** Wear clean body-covering clothing. Emergency showers and eye was stations should be available.

**Hygienic Work Practices:** Avoid contact with eyes, skin, and clothing. Avoid breathing dust. Keep container closed when not in use. Use with adequate ventilation. Wash thoroughly after handling.

#### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**Physical Form:** Crystalline solid; powder Color: White Odor: Slight Molecular Weight: 58.44 g/mole Specific Gravity (Water = 1): 2.165 **Boiling Point:** 1413°C (2575.4°F) Melting Point: 801°C (1473.8°F) Solubility in Water: Appreciable (more than 10%) Water Reactive: No Vapor Pressure: N/A Vapor Density (Air-1): N/A Evaporation Rate (-1): N/A

# SECTION 10 - STABILITY AND REACTIVITY

<b>STABILITY:</b> X Stable	Unstable						
Conditions to Avoid: High temperatures. Stable under ordinary conditions of use and storage.							
Incompatibility (Materials to avoid): Stron	g acids, alum, fluorine, ammonium salts, stong oxidizing						
agents, lithium, inter-halogens, iron, cement.							
Hazardous Decomposition Products: Oxides, carbon monoxide, carbon dioxide, hydrogen chloride.							
Special Remarks on Reactivity: Hygroscop	ic. Reacts with most nonnoble metals such as iron, steel, building materia	als					
(such as cement). Sodium chloride is rapidly	attached by bromine trifluoride. Violent reaction with lithium.						
HAZARDOUS POLYMERIZATION:	May OccurX Will Not Occur						

# SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of Exposure	Eye Contact. Ingestion. Inhalation. Skin contact.				
Toxicity Data:	LD50 (oral-rat) 3000 mg/kg; LD50 (ipr-mouse) 2602 mg/kg;				
·	LD50 (scu-mouse) 3150 mg/kg; LD50 (iv-mouse) 645 mg/kg.				
<b>Chronic Toxic Effe</b>	cts: Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast.				
<b>Chronic Effects on</b>	Humans: Causes adverse reproductive effects in humans (fetotoxicity, abortion) by intraplacental route.				
High intake	of sodium chloride, whether from occupational exposure or in the diet, may increase risk of Toxemia of				
Pregnancy	in susceptible women.				
Acute Toxic Effects	$\partial$				
	vomiting. May effect behavior (muscle spasicity/contraction, somnolence), sense organs, metabolism, ascular system. Continued exposure may produce dehydration, internal organ congestion, and coma.				
	of dust may cause irritation to upper respiratory tract, nose and throat. Large ingested doses may cause				
U	inal irritation and pain.				
Extremely Hazardo					
CERCLA Hazardo	us Substance: No				
SARA 313 Toxic C	hemicals: No				
TSCA Inventory:	No				

SECTION 12 – ECOLOGICAL INFORMATION

# SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable local, state and federal environmental regulations.

# SECTION 14 – TRANSPORTATION INFORMATION

Domestic (D.O.T.)<br/>Proper Shipping Name:Chemicals, n.o.s.International (T.M.O.)<br/>Proper Shipping Name:Chemicals, n.o.s.Air (I.C.A.O.)<br/>Proper Shipping Name:Chemicals, n.o.s.

## SECTION 15 – REGULATORY INFORMATION

### SARA TITLE III HAZARD CATEGORIES AND LISTS

Acute: No	Chronic: Yes	Flammability: N	o Pressure	: No	Reactivity: No
NFPA Rating:		Flammability: 0	2		
HMIS Rating:	Health: 1	Fire: 0	Reactivity: 0	Protectio	on: E

## **SECTION 16 – OTHER INFORMATION**

Date Prepared: Date of Last Revision: March 31, 1984 November 11, 2020

The information published in this Safety Data Sheet has been compiled from our experience and data presented in various technical publications. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and assume no liability resulting from its use. We reserve the right to revise Safety Data Sheets periodically as new information becomes available.